

Installation Systems

Safety and durability

Roca



A wide range of solutions

With Roca's Duplo systems you obtain all the installation flexibility for wall-hung sanitary ware: floor standing frame, free-standing frame, concealed cistern without frame, compact 8 cm. version, etc...



Duplo WC One



Duplo WC One Compact



Duplo WC One Smart



Duplo WC L under window



Basic WC Compact



Basic Tank Compact








Easy installation

The installation is quick and simple. A complete installation pack with detailed instructions is included. You may find animated films at www.roca.com that will guide you through the different steps to be followed during installation.



Double flush water cistern

Pushbuttons with double flush of 6/3 L, 4,5/3 L or 4/2 L to choose the volume of water in the flush.







6/3L


4,5/3L

4/2L



High quality materials

Roca has always worked with the best materials. We can therefore offer you products that are a quality reference and that endure over time regardless of their intensive use. All cisterns **Duplo One**, **Duplo** and **Basic** are equipped with an anti-siphon inlet valve, with a class I noise level (below 20 dBA).



Great durability and endurance

The installation of the complete range is the safest in the market, with the guarantee of a perfect attachment and a high static resistance (up to 400 kg). This range has been designed to offer the best performance with an intensive use, making it ideal for the installation in public and private spaces. All cisterns are equipped with a flush valve with a silicone washer, whose durability is VR11 (200.000 cycles) .



Easy maintenance

The design of the product offers an easy access to its interior, so that its maintenance may be carried out easily and immediately. The instructions include specific maintenance and cleaning recommendations as well as a complete list of spare parts.

Roca guarantee

Roca Installation Systems have been designed to guarantee the highest satisfaction. Roca offers a 5 year warranty on its installation systems for plastic tanks and a 10 year warranty on the metallic frames. All cisterns comply with the norm EN-14055, CE.





min.
80 mm



Duplo One



For wall-hung WC


Duplo WC One



- 6/3L
- 4,5/3L
- 4/2L

Built-in structure with compact dual-flush cistern for wall-hung WC. Minimum depth horizontal outlet: 80 mm. Minimum depth vertical outlet: 107/125 mm (DN90/DN100). Axial distance of 180 and 230 mm. Elbow \varnothing 90/ \varnothing 110. Metallic profile capable of withstanding 400 kg. Adjustable feet from 0-200 mm with braking system. Upper hydraulic connections.

Ref. A890070020




Duplo WC One Compact



- COMPACT
- 6/3L
 - 4,5/3L
 - 4/2L

Built-in structure with compact dual-flush cistern for wall-hung WC. Minimum depth horizontal outlet: 80 mm. Minimum depth vertical outlet: 90/110 mm (DN90/DN100). Axial distance of 180 and 230 mm. Elbow \varnothing 90/ \varnothing 110. Metallic profile capable of withstanding 400 kg. Adjustable feet from 0-200 mm with braking system. Upper hydraulic connections.

Ref. A890073020




Duplo WC One Smart⁽¹⁾



- 6/3L
- 4,5/3L
- 4/2L

Built-in structure with compact dual-flush cistern, inlet flexible pipe for Smart Toilets, corrugated pipe and installation accessories. Minimum depth horizontal outlet: 80 mm. Minimum depth vertical outlet: 107/125 mm (DN90/DN100). Height 1,190 mm and elbow \varnothing 90/ \varnothing 110. Axial distance of 180 and 230 mm. Recommended for the installation of wall-hung Inspira In-Wash[®]. Adjustable feet from 0-200 mm with braking system. Upper hydraulic connections.

Ref. A890078020



Operating plates for **Duplo One** installation systems

PL1.A




Plate PL1.A Dual

Operating plate
Chrome
Ref. A890195001

PL2.A




Plate PL2.A Dual

Operating plate
Chrome
Ref. A890196001

PL3.A Antivandal




Plate PL3.A Single

Stainless steel
operating plate
Ref. A890197104

Plate PL3.A Dual

Stainless steel
operating plate
Ref. A890197004




Plate PL3.A Dual Electronic

Electronic stainless steel operating
plate for concealed cistern with
automatic or manual dual flush
Ref. A890097500



EP-1 Dual Electronic




Plate EP-1 Dual Electronic

Electronic glass finished operating plate
with automatic or touchless dual flush and
adjustable light in multiple colour choice
Black Glass
Ref. A890104008

PL4.A




Plate PL4.A Dual

Operating plate
Chrome
Ref. A890198001

PL7.A




Plate PL7.A Dual

Operating plate
Matt White
Ref. A890188207

Plate PL7.A Dual

Operating plate
Matt Black
Ref. A890188206




Plate PL7.A Dual

Operating plate
White Glass
Ref. A890188309

Plate PL7.A Dual

Operating plate
Black Glass
Ref. A890188308


PL10.A

Plate PL10.A Dual
Operating plate
White
Ref. A890189000



Plate PL10.A Dual
Operating plate
Chrome
Ref. A890189001



Plate PL10.A Dual
Operating plate
Chrome matt
Ref. A890189002



Plate PL10.A Dual
Operating plate
Combi (White/Chrome Matt)
Ref. A890189005 ⁽¹⁾




Plate PL10.A Dual
Operating plate
Matt White
Ref. A890189207



Plate PL10.A Dual
Operating plate
Matt Black
Ref. A890189206



Plate PL10.A Dual
Operating plate
Matt Brown
Ref. A89018920M



Plate PL10.A Dual
Operating plate
Matt Beige
Ref. A89018920B






Plate PL10.A Dual
Operating plate
Matt Pearl
Ref. A89018920P



Plate PL10.A Dual Antivandal
Operating plate
Stainless steel
Ref. A890189304

Duplo One operating plates / Compatibility with Duplo installation systems**Adaptation kits**

Type A: for PL3/PL5 plates
Adaptation kits for plates
PL3 and PL5. Not compatible with
electronic plates PL3-E, EP1 and EP2
Ref. A890064010



Type B: other PL plates
Adaptation kits for rest of
operating plates (except
PL3 and PL5). Not compatible with
electronic plates PL3-E, EP1 and EP2
Ref. A890064000

Duplo and Basic




For wall-hung WC

Duplo WC



- 6/3L
- 4,5/3L
- 4/2L

Installation system for wall-hung WC. With cistern, dual flush mechanism 6/3, 4,5/3 or 4/2 litres and installation accessories. Minimum depth 140 mm. Draining elbow \varnothing 90/90 and \varnothing 90/110
Ref. A890090020




Duplo WC Compact



- COMPACT
- 6/3L
- 4,5/3L
- 4/2L

Installation system for wall-hung WC. With 8 cm compact cistern, dual flush mechanism 6/3, 4,5/3 or 4/2 litres and installation accessories. Minimum depth 80/90 mm. Draining elbow \varnothing 90/90 and \varnothing 90/110
Ref. A890080020




Duplo WC Fluxor*



Antivandal kit
Ref. A890065004

- 6/3L

Installation system for wall-hung WC. With dual flush-valve and installation accessories. Minimum depth 140 mm. Draining elbow \varnothing 90/110
Ref. A890092100




For wall-hung WC

Duplo WC Smart ⁽¹⁾



- 6/3L
- 4,5/3L
- 4/2L

Installation system for wall-hung WC. With cistern, dual flush mechanism 6/3, 4,5/3 or 4/2 litres and installation accessories. Smart toilet connection and a corrugated pipe. Minimum depth 140mm, height 1190 and draining elbow \varnothing 90/110
Ref. A890090800




Duplo WC L under window



- 6/3L
- 4,5/3L

Concealed structure for toilet with dual flush cistern. Allows front or top activation. Draining elbow \varnothing 90/110
Ref. A890121010




Basic WC



- 6/3L
- 4,5/3L
- 4/2L

Concealed cistern with dual flush mechanism 6/3, 4,5/3 or 4/2 litres for wall-hung WC. Minimum depth 125 mm. Draining elbow \varnothing 90/90 and \varnothing 90/110
Ref. A890090120



For wall-hung WC

Basic WC Compact




COMPACT

6/3L

4,5/3L

4/2L

Compact concealed cistern with dual flush mechanism 6/3, 4,5/3 or 4/2 litres, for wall-hung WC. With fixations and connecting pipe. Minimum depth 80/90 mm. Draining elbow \varnothing 90/90 and \varnothing 90/110
Ref. A890080120



For single floorstanding WC

Basic Tank Compact*




COMPACT

6/3L

4,5/3L

4/2L

Concealed compact cistern with dual flush mechanism 6/3, 4,5/3 or 4/2 litres. With fixations and connecting tube. Minimum depth 80 mm.
Ref. A890080200



Operating plates for **Duplo and Basic WC** cisterns

PL1 Dual





Plate PL1 Dual

Operating plate
White
Ref. A890095000

Plate PL1 Dual

Operating plate
Chrome
Ref. A890095001

PL2 Dual




Plate PL2 Dual

Operating plate
Chrome
Ref. A890096001

Plate PL2 Dual

Operating plate
Chrome Matt
Ref. A890096002

PL3 antivandal*




Plate PL3 Single

Stainless steel
operating plate
Ref. A890097104




Plate PL3-E Dual Electronic

Stainless steel
operating plate
Ref. A890097400






Plate PL3 Dual

Stainless steel
operating plate
Ref. A890097004



Plate PL3-E Dual Electronic

Only for Compact versions.
Stainless steel operating plate
Ref. A890097300



PL4 Dual




Plate PL4 Dual

Operating plate
Chrome
Ref. A890098001

Plate PL4 Dual

Operating plate Combi
(White/Chrome Matt)⁽¹⁾
Ref. A890098005

PL5 Dual



Plate PL5 Dual
Operating plate
White
Ref. A890099000*




Plate PL5 Dual
Operating plate
Chrome
Ref. A890099001



Plate PL5 Dual
Operating plate
Chrome Matt
Ref. A890099002



Plate PL5 Dual
Operating plate
Combi (White/Chrome Matt)
Ref. A890099005 ⁽²⁾



PL6 Dual





Plate PL6 Dual
Operating plate
Chrome
Ref. A890085001



PL7 Dual



Plate PL7 Dual
Operating plate
Matt black
Ref. A890088206





Plate PL7 Dual
Operating plate
Black Glass
Ref. A890088308



PL10 Dual



Plate PL10 Dual
Operating plate
White
Ref. A890089000



Plate PL10 Dual
Operating plate
Chrome
Ref. A890089001



Plate PL10 Dual
Operating plate
Chrome Matt
Ref. A890089002



Plate PL10 Dual
Operating plate
Combi (White/Chrome Matt)
Ref. A890089005 ⁽¹⁾




Plate PL10 Dual
Operating plate
Matt White
Ref. A890089207



Plate PL10 Dual
Operating plate
Matt Black
Ref. A890089206



Plate PL10 Dual
Operating plate
Matt Brown
Ref. A89008920M




EP-1 Dual Electronic*



Plate EP-1 Dual Electronic
Operating plate
Black Glass
Ref. A890102008

Operating plate for
compact versions
Black Glass
Ref. A890103008



Active

For wall-hung WC


Active WC



6/3L
4,5/3L

Installation system for wall-hung WC.
With cistern, dual flush mechanism 6/3 and
4,5/3 litres and installation accessories.
Draining elbow \varnothing 90/110
Ref. A89011001B⁽¹⁾

⁽¹⁾Compatible only with operating plates
52-B, 62-B and B01




Active SET WC



6/3L
4,5/3L

Concealed cistern for wall-hung WC.
With cistern, dual flush mechanism
6/3 and 4,5/3 litres and installation
accessories.
Draining elbow \varnothing 90/90
Ref. A89011010B⁽¹⁾

⁽¹⁾Compatible only with operating plates
52-B, 62-B and B01



Operating plates for **Active** installation systems

B01 Dual




Plate B01 Dual

Operating plate
White

Ref. A8901170B0

Plate B01 Dual

Operating plate
Chrome

Ref. A8901170B1

52-B Dual




Plate 52-B Dual

Operating plate
White

Ref. A8901150B0

Plate 52-B Dual

Operating plate
Chrome

Ref. A8901150B1

62-B Dual




Plate 62-B Dual

Operating plate
White

Ref. A8901160B0

Plate 62-B Dual

Operating plate
Chrome


Ref. A8901160B1

For basins

Duplo Basin




Installation system for wall-hung basins.
With installation accessories.
Minimum depth 140 mm
Ref. A890093000




For wall-hung bidet

Duplo Bidet



Installation system for wall-hung bidet.
With installation accessories.
Minimum depth 140 mm
Ref. A890091200




For urinal

Duplo Universal urinal



Installation system for urinal.
With installation accessories.
Ref. A890094100




Accessibility and comfort

Duplo Handicapped*




Frame for fixing grab rails.
Right / left installation
Ref. A890090600



Silent in wall



Noise absorption joint
Ref. A890063000



The Roca logo consists of the word "Roca" in a bold, white, sans-serif font, positioned above a white horizontal wavy line that resembles a stylized wave or a drop.

more at
roca.bg
hr.roca.com
gr.roca.com
roca.hu
ro.roca.com
roca.com